

SOIL SURVEY LEGEND FOR WASHINGTON COUNTY, MAINE

This legend is a listing of all soil map units mapped in the county. In the left hand column are the soil symbols as they appear in the soil survey report. The first two letters of the symbol identify the kind of soil in a delineation. The last letter in the symbol indicates the slope of the map unit. The soil map unit name is given for each map symbol. A detailed description for each soil map unit is given in the county Soil Survey Report.

<u>Publication Symbol</u>	<u>Map Unit Name</u>
AbE	Abram-lyman complex, 15 to 45 percent slopes, very stony
ACE	Abram-rock outcrop-ricker complex, 15 to 80 percent slopes
AdA	Adams loamy sand, 0 to 3 percent slopes
AdB	Adams loamy sand, 3 to 8 percent slopes
AdC	Adams loamy sand, 8 to 15 percent slopes
AGB	Adams-croghan association, 0 to 8 percent slopes
BeC	Becket fine sandy loam, 8 to 15 percent slopes, very stony
BKD	Becket-skerry association, 8 to 30 percent slopes, very stony
BnB	Brayton fine sandy loam, 0 to 5 percent slopes, very stony
BRB	Brayton-colonel association, 0 to 8 percent slopes, very stony
BTB	Brayton-colonel association, 0 to 8 percent slopes, extremely stony
BW	Bucksport and wonsqueak soils
BxC	Buxton silt loam, 8 to 15 percent slopes
BZC	Buxton-lamoine complex, 3 to 15 percent slopes
ChB	Chesuncook silt loam, 3 to 8 percent slopes
ChC	Chesuncook silt loam, 8 to 15 percent slopes
CKC	Chesuncook-elliottsville-telos complex, 3 to 15 percent slopes, very stony
CLC	Chesuncook-telos association, 3 to 15 percent slopes, very stony
CoA	Colton gravelly sandy loam, 0 to 3 percent slopes
CoB	Colton gravelly sandy loam, 3 to 8 percent slopes
CoC	Colton gravelly sandy loam, 8 to 15 percent slopes
CoE	Colton gravelly sandy loam, 15 to 70 percent slopes
CpB	Colton gravelly sandy loam, 0 to 8 percent slopes, very bouldery
CpC	Colton gravelly sandy loam, 8 to 15 percent slopes, very bouldery
CRC	Colton-adams complex, 3 to 15 percent slopes
CRE	Colton-adams complex, 15 to 70 percent slopes
CSC	Colton-hermon complex, 3 to 15 percent slopes, very bouldery
CSD	Colton-hermon complex, 15 to 30 percent slopes, very bouldery
CtB	Creasey gravelly silt loam, 3 to 8 percent slopes
CtC	Creasey gravelly silt loam, 8 to 15 percent slopes
CVC	Creasey-abram complex, 3 to 15 percent slopes
CXC	Creasey-lamoine complex, 3 to 15 percent slopes
CzB	Croghan loamy sand, 3 to 8 percent slopes
DAC	Danforth-elliottsville complex, 3 to 15 percent slopes, very stony
DdC	Dixfield fine sandy loam, 8 to 15 percent slopes
DfC	Dixfield fine sandy loam, 8 to 15 percent slopes, very stony
DgB	Dixfield-colonel complex, 3 to 8 percent slopes
DHB	Dixfield-colonel complex, 0 to 8 percent slopes, very stony
DkB	Dixfield-colonel complex, 3 to 8 percent slopes, very stony
DMC	Dixfield-marlow association, 3 to 15 percent slopes, very stony
DTC	Dixfield-marlow-tunbridge complex, 3 to 15 percent slopes, very stony
DUC	Dixfield-tunbridge-colonel complex, 3 to 15 percent slopes, very stony
EcB	Elliottsville-chesuncook complex, 3 to 8 percent slopes

<u>Publication Symbol</u>	<u>Map Unit Name</u>
EMC	Elliottsville-monson complex, 3 to 15 percent slopes, very stony
Go	Gouldsboro silt loam
HCC	Hermon-colton-abram complex, 3 to 15 percent slopes, very bouldery
HeB	Hermon-monadnock complex, 3 to 8 percent slopes
HeC	Hermon-monadnock complex, 8 to 15 percent slopes
HkB	Hermon-monadnock complex, 3 to 8 percent slopes, very bouldery
HkC	Hermon-monadnock complex, 8 to 15 percent slopes, very bouldery
HMD	Hermon-monadnock complex, 15 to 30 percent slopes, very bouldery
HOE	Hermon-monadnock complex, 15 to 45 percent slopes, extremely bouldery
HSC	Hermon-monadnock-skerry complex, 3 to 15 percent slopes, very bouldery
HVC	Hermon-monadnock-skerry complex, 3 to 15 percent slopes, extremely bouldery
Kn	Kinsman sand
KW	Kinsman-wonsqueak association, 0 to 3 percent slopes
LaB	Lamoine silt loam, 0 to 6 percent slopes
LbB	Lamoine-buxton complex, 0 to 8 percent slopes
LCB	Lamoine-buxton-scantic complex, 0 to 15 percent slopes
LEB	Lamoine-creasey-scantic complex, 0 to 8 percent slopes
LHB	Lamoine-nicholville complex, 0 to 8 percent slopes
LmB	Lamoine-scantic complex, 0 to 5 percent slopes
LnB	Lamoine-scantic complex, 0 to 5 percent slopes, very stony
LSB	Lamoine-scantic-colonel complex, 0 to 8 percent slopes, very stony
LTB	Lamoine-tunbridge-scantic complex, 0 to 8 percent slopes, very stony
LUE	Lyman-abram-tunbridge complex, 15 to 60 percent slopes, very stony
LYC	Lyman-tunbridge-abram complex, 3 to 15 percent slopes, very stony
MaC	Marlow fine sandy loam, 8 to 15 percent slopes
MbC	Marlow fine sandy loam, 8 to 15 percent slopes, very stony
MDD	Marlow-dixfield association, 8 to 30 percent slopes, very stony
MGD	Marlow-tunbridge-dixfield complex, 8 to 30 percent slopes, very stony
MmA	Masardis fine sandy loam, 0 to 3 percent slopes
MmB	Masardis fine sandy loam, 3 to 8 percent slopes
MmC	Masardis fine sandy loam, 8 to 15 percent slopes
MmE	Masardis fine sandy loam, 15 to 45 percent slopes
MRE	Masardis-adams complex, 15 to 70 percent slopes
MSC	Masardis-sheepscot complex, 0 to 15 percent slopes
MT	Medomak and wonsqueak soils, frequently flooded
MvB	Monarda silt loam, 0 to 7 percent slopes, very stony
MWB	Monarda-telos association, 0 to 8 percent slopes, very stony
MXB	Monarda-wonsqueak complex, 0 to 5 percent slopes, very stony
NAC	Naskeag-abram-ricker complex, 0 to 15 percent slopes, very stony
NBB	Naskeag-tunbridge-lyman complex, 0 to 8 percent slopes, very stony
NcB	Nicholville very fine sandy loam, 3 to 8 percent slopes
NcC	Nicholville very fine sandy loam, 8 to 15 percent slopes
NGB	Nicholville-croghan complex, 0 to 5 percent slopes
NGC	Nicholville-croghan complex, 5 to 15 percent slopes
Pg	Pits, sand and gravel
Sa	Scantic silt loam
SF	Scantic-biddeford association, 0 to 3 percent slopes
SG	Sebago and waskish soils
ShB	Sheepscot fine sandy loam, 0 to 8 percent slopes
SJB	Sheepscot-croghan-kinsman complex, 0 to 8 percent slopes
SkB	Skerry fine sandy loam, 3 to 12 percent slopes
SmB	Skerry fine sandy loam, 3 to 12 percent slopes, very stony

Publication
Symbol

Map Unit Name

SNC	Skerry-becket association, 3 to 15 percent slopes, very stony
SOB	Skerry-colonel complex, 0 to 8 percent slopes, very stony
STC	Skerry-colonel-tunbridge complex, 0 to 15 percent slopes, very stony
TaB	Telos silt loam, 3 to 8 percent slopes
TCB	Telos-chesuncook complex, 0 to 8 percent slopes, very stony
TEB	Telos-elliottsville-monarda complex, 0 to 8 percent slopes, very stony
TLC	Tunbridge-lamoine-lyman complex, 0 to 15 percent slopes, very stony
TuB	Tunbridge-lyman complex, 3 to 8 percent slopes
TuC	Tunbridge-lyman complex, 8 to 15 percent slopes
TyC	Tunbridge-lyman-abram complex, 3 to 15 percent slopes, very stony
Ud	Udorthents-urban complex
WF	Wonsqueak and bucksport soils, frequently flooded
W	Water